



CPC - CPL



compliant
with norm
EN 453
rev. 2015

Divider

INDUSTRY 4.0



Divider with short or long conveyor belt. One or two piston machine. Vacuum divider with short or long conveyor belt. One or two piston machine. Available in the automatic version

Standard features

- Stainless steel cylinder
- Electronic speed regulation
- Electronic weight adjustment
- 30 kg hopper with Teflon coating
- Independent motorized conveyor belt
- Petrol green ribbon
- Electronic piece counter
- Power supply 400 volts/3PH/50-60Hz
- Stainless steel casing
- "AI" touch screen (without arm)
- Single cylinder size 900/2500 pcs/h
- Twin cylinder size 1800/5000 pcs/h

Option and cutting rollers

- Pressure hopper
- Ejector roller
- Flour duster with adjustment of the quantity of flour released
- Additional lubrication for drum with tap
- "Start and stop" push-button panel for remote control and power take-off
- White ribbon
- Under carpet scraper
- Compressed air extraction system
- Two-channel rolling device (standard on CPL mode)
- Kit 4.0 Connectable
- Compatible with Esmach cloud

MODELS


CPC 1P	1 piston short belt divider
CPC 2P	2 piston short belt divider
CPL 1P	1 piston long belt divider
CPL 2P	2 piston long belt divider

CYLINDER SIZE (single/double-cylinder)	from Ø 60 to 150
HOPPER	30-80-120-160-200-300



MODELLO/ MODEL		PESO MACCHINA WEIGHT	Ø PISTONE PISTON Ø	PEZZATURA WEIGHT		PEZZI/ORA HOUR PRODUCTION	
CPC	CPL		mm	min	max	min	max
			Ø 60	20	220	900	2500
			n° 2 Ø 60			1800	5000
			n° 2 Ø 80	30	370		
			Ø 80				
			Ø 100	50	700		
			Ø 110	70	850		
			Ø 120	90	1000		
			Ø 130	130	1200		
			Ø 140	170	1400		
			Ø 150	200	1650		

MODELLO/ MODEL	POTENZA MOTORE PRINCIPALE / MAIN MOTOR POWER	POTENZA MOTORE SECONDA- RIO / SECONDA- RY MOTOR POWER	FREQUENZA DI FUNZIO- NAMENTO / OPERATING FREQUENCY	ALLACCIAMEN- TO ELETTRICO/ POWER SUPPLY PALLWEIGHT
CPC	2.2	0.25	50/60 HZ	400V 3PH+N+Gr W/ pentapolar plug 16A
CPL	2.2	0.25	50/60 HZ	



STANDARD
TOUCH SCREEN
PANEL




STANDARD
SCRAPER



CPC - CPL - DIVIDER

Property of Esmach Ali Group Srl - reproduction prohibited



COMPRESSED
AIR EXTRACTION SYSTEM


(OPTIONAL)



FLOUR MIXER
(OPTIONAL)



N.B.
THE PHOTOS INDICATED
ABOVE ARE TO BE
CONSIDERED WITH THE
COLOR OF THE CARPET
PRESENT IN THE IMAGE ON
THE LEFT




ADDITIONAL
LUBRICATION FOR
THE DRUM
(OPTIONAL)

EXTRACTOR ROLLER
(OPTIONAL)




MOTORIZED
ROUNDER TABLE
140 CM



MOTORIZED
DOUBLE V-CHANNEL
TABLE.



CPC



CPL

